

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ORGANIC* WEEDKILLER

ACTIVE CONSTITUENT: 525 q/L NONANOIC ACID

FOR NON-SELECTIVE CONTROL OF SEEDLING AND YOUNG BROADLEAF AND GRASS WEEDS. FOR SUPPRESSION OF ESTABLISHED WEEDS AND PERENNIAL SPECIES AND FOR CONTROL OF MOSS AND ALGAE AS PER THE DIRECTIONS FOR USE.

VERSATILE WEED, MOSS AND ALGAE KILLER

ACN 003 149 719

- VISIBLE RESULTS WITHIN HOURS AFTER SPRAYING
- REGISTERED FOR USE IN ORGANIC FARMING SYSTEMS* / ACTIVE MADE FROM NATURAL PLANT OILS

IMPORTANT: READ THE ENCLOSED LEAFLET BEFORE USE

CONTENTS

ORGANIC CROP PROTECTANTS PTY LTD

61 Turrella St. Turrella NSW 2205 Australia Telephone: 1800 634 204 www.ocp.com.au or www.ecoorganicgarden.com.au

✓ GLYPHOSATE FREE

✓ NO LASTING RESIDUES

Australian Organic Registered

> ALLOWED INPUT 222 Not approved under USDA-NOP Certification

GENERAL INSTRUCTIONS

Slasher Organic* Weedkiller is a natural contact weedkiller point. If not recycling, break, crush or containing pelargonic acid (nonanoic acid). Pelargonic acid puncture and deliver empty packaging to occurs naturally in plants including geraniums. It acts on the an approved waste management facility. If an foliage, causing it to guickly dehydrate and collapse. Results are contact with the green parts of the plant, Slasher Organic* Weedkiller will control many weed species and is non-selective

Half fill spray tank and commence agitation. Slowly add required amount of Slasher Organic* Weedkiller, Top up with required quantity of water. Agitate well before commencing spray procedure. Do not mix more than is needed. APPLICATION: Ensure that all weed foliage is totally covered with spray as Slasher Organic* Weedkiller is a contact spray only. Partial coverage will give only partial control.

Apply by ground equipment only using for example boom or spe sprayers. Apply using a coarse droplet spray. Optimum application volumes are related to weed maturity and density. Contact with the weeds is essential for control, as such apply in sufficient wate to ensure complete and thorough coverage of foliage.

DO NOT spray porous surfaces without prior testing. May cause discolouration on porous hard surfaces.

RECAUTIONS: Wear eve protection when mixing or using. RE-ENTRY PERIOD: Do not enter treated areas until the product has dried.

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

DO NOT contaminate wetlands or watercourses with this product or used containers. Not compatible with integrated pest management (IPM) programs utilising beneficial arthropods. Minimise spray drift to reduce harmful effects on beneficial arthropods in non-crop areas.

Store in the closed, original container No. 68118/110733 in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection

approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local State or Territory government regulations. Do not burn empty

DIRECTIONS: Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with the eves and skin. When preparing spray wear elbow-length chemical resistant gloves and goggles. When using the prepared spray wear face shield or goggles. If product on skin, immediately wash area with soap and water. If product or spray in eyes. wash it out immediately with water. Wash hands after use. After each day's use wash gloves, face shield or googles, and

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 131126, If swallowed, do NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Additional information is listed in the Safety Data Sheet available from the supplier.

JABILITY: This product must_only be used as directed. OCP will not be liable for any loss or damage due to a failure to strictly follow label directions. ® Registered Trademark of

OCP Ptv Ltd APVMA Approval



DIRECTIONS FOR USE

RESTRAINTS:

DO NOT spray if weeds are wet.

DO NOT apply if rainfall is expected before spray deposits dry on plant surfaces.

DO NOT water treated area for 24 hours to achieve maximum results.

DO NOT apply if heavy rains or storms that are likely to cause runoff from soil are forecast within 3 days of application.

DO NOT irrigate to the point of runoff from soil for at least 3 days after application.

DO NOT allow enray to contact or drift onto plants you do not want killed

| NOT allow spray to contact of unit office plants you do not want kined. | | | |
|--|---|--|--|
| ITUATION | WEEDS | RATE | CRITICAL COMMENTS |
| aths, Driveways, around Sheds ardens, Amenity horticulture areas, rotected cropping situations. round Nursery stock. pot Spraying in Lawns and Turf. | and perennial weeds and grasses including fat hen, potato weed, stinking roger, couch grass, chickweed, lambs tongue, peppercress, capeweed, | 70 mL per litre of water | Spray to completely cover weed surface. Reapplication at around 7 in may be necessary if regrowth occurs. This product may damage law and turf when used as a spot spray. Perennial weed species may require repeated applications to obtain long term control. To control weeds in Protected cropping situations apply on each side of the crc row taking care not to allow spray to contact any of the crop foliage. |
| rchards and vineyards allow soil | | Mix 7 litres per 100 litres water. Apply 900- 1400 L spray per ha | Apply as a band spray 400 mm wide on each side of the orchard or crop row. Apply at early vegetative stage of weeds. Best results are obtained at 4-8 leaf stage when weed canopy is less than 15 cm in height. Established weeds may require more than one application. Repeat spray after 7 days if required. Spray overall weed toliage to ensure full foliage penetration and coverage. Partial foliage penetral or coverage will result in partial control. |
| ardens, Paths, Rockeries, Tiled Roofs, falls, Driveways, around Buildings, pot Spraying in Lawns and Turf | Algae, Lichen, Liverwort, Moss | 70 mL per litre of water | Spray to completely cover plant surface. For driveways or heavy infestations, clean off by brushing after 3 days and reapply if necessary. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED. STORAGE AND DISPOSAL: Store in the closed, original management facility. If an approved waste management clothing facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS: Will irritate the eyes and skin. Repeated container in a cool, well-ventilated area. Do not store for exposure may cause allergic disorders. Avoid contact with the prolonged periods in direct sunlight. Triple or (preferably) eyes and skiní. When preparing spray wear elbow-length chemical pressure rinse containers before disposal. Add rinsings to the resistant gloves and goggles. When using the prepared spray wear spray tank. Do not dispose of undiluted chemicals on site. If face shield or goggles. If product on skin, immediately wash area recycling, replace cap and return clean containers to recycler with soap and water. If product or spray in eyes, wash it out or designated collection point. If not recycling, break, crush or immediately with water. Wash hands after use. After each day's puncture and deliver empty packaging to an approved waste use wash gloves, face shield or googles, and contaminated

> FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 131126, If swallowed, do NOT induce vomiting. Give a glass of water. If skin contact occurs remove contaminated clothing and wash skin thoroughly. If ir eyes, hold eyes open, flood with water for at least 15 minutes and